
NAVIGATOR MANAGED PDU – PSNSPDU8S SMART PDU WITH AUTOMATIC VOLTAGE REGULATION

The PowerShield Navigator Managed PDU is an internet-ready device designed to allow administrators to remotely and individually control the AC power for up to eight connected devices such as servers, routers, modems and telephone networks. Moreover, the user is able to pre-configure to turn on/off specific outlets when an event occurs.

The Navigator PDU offers easy set up and user-friendly communications and control methods. Once connected to an ethernet connection, the administrator will be notified of a web IP address and can manage and monitor the power of the devices from anywhere in the world via the web browser.

- Remotely turn on/off/reset any or all NetSwitch
 outlets
- Set sequential scheduled power on/off/reset to each outlet with durations
- Perform multiple PC shutdown when AC fails or battery is low
- Connect compatible UPSs for real-time remote monitoring, management and control and perform UPS self tests
- Monitor individual outlets for AMPs, KwH, Watts and Volts
- Support advanced encryption of HTTPS, SSL, SSH and SnMPv3
- Event notification via email, SMS or trap
- Environmental monitoring option (PSEMB) to observe humidity and temperature

AC Inlet (IEC 16A)







NAVIGATOR PDU	
Model Number	PSNMPDU8S
INPUT	
Nominal Voltage	220 / 230 / 240VAC
Form Factor	10
Input Plug Type	1 x IEC (16A) connector and 1 x plug cable
Cord Length	1.8mm
Output Receptacle	8 x IEC 10A sockets
Protection	624 Joules
INDICATORS	
LED Indicators	PDU power LED and fault LED
LCD Display	Indicates outlet On/Off status, input voltage and current, outlet current and fault/alarm mode
Communications	RS232 or USB or PSSNMP
PHYSICAL	
Dimension, D x W x H (mm)	250 x 430 x 44
Net Weight (kgs)	3.5
ENVIRONMENT	
Operating Temperature	20–90 % RH @ 0–50°C (non-condensing)

PDUs